

Example:	<code>_callback</code>	<code>_callbackWithResult</code>
	<pre>{ onOk: function() {}, onError: function(error) {} }</pre>	<pre>{ onOk: function(<Array_With_Objects_Of_Type_Classname>) {}, onError: function(error) {} }</pre>

Refclassname: Name of class of referenced Model *Propertyname:* Name of property on Model object
Classname: Name of Model *Propertyclass:* Class of property

Working with Users

(User class) Don't forget to set username/password

Name	Command	Parameter	Return Value
CreateUser	save	<code>_callback</code>	
LoadUser	loadMe	<code>_callback</code>	

Handling Objects

Doing CRUD operations on models

Name	Command	Parameter	Return Value
CreateObject	save	<code>_callback</code>	
ReadObject	loadWithHref	<code>_href, _callback</code>	
ReloadObject	load	<code>_callback</code>	
UpdateObject	save	<code>_callback</code>	
DeleteObject	deleteModel	<code>_callback</code>	
ReadListofObjects	get<Classname>s:	<code>_query, _callbackWith-Result</code>	NSMutableArray*

Working with properties of objects

Howto use properties of models

Name	Command	Parameter	Return Value
GetProperty	get<Propertyname>Latitude		Object of Class <Propertyclass>
SetProperty	set<Propertyname>	Object of Class <Propertyclass>	
GetGeoPoints	get<Propertyname>Latitude get<Propertyname>Longitude		double
SetGeoPoints	set<Propertyname>Latitude set<Propertyname>Longitude	double coordinate	
UploadResource	post<Propertyname>	<code>_data</code> (must be byte array), <code>_callback</code>	
GetResourceURL	get<Propertyname>URL		String

Working with References

Name	Command	Parameter	Return Value
CreateReference	post<Propertyname>	<code>_refData</code> (object of type <RefClassname>), <code>_callback</code>	
ReadReference	load<Propertyname>	<code>_query, _callback</code>	NSMutableArray*
DeleteReference	remove<Propertyname>	<code>_refData</code> (object of type <RefClassname>), <code>_callback</code>	

Operation	Keyword	Example
LimitResult	limit	limit 10
PageResult	offset	offset 2
OrderResultASC	order by	firstName != null order by createdAt
OrderResultDESC	order by	firstName != null order by createdAt DESC

Query String

Operation	Keyword	Example
Equals	==	firstName == "John"
StartsWith	startsWith	firstName startswith „Jo“
Like	like	firstName like „John“

Query Number/Date

Operation	Keyword	Example
Equals	==	age == 24
NotEquals	!=	age != 23
GreaterThan	>	age > 23
GreatherEqualThan	>=	age >= 23
LowerThan	<	age < 22
LowerEqualThan	<=	age <= 22
QueryDate	date(<unix_timestamp_in_ms>)	birthdate >= date(1347600117535)

Query Location

Operation	Keyword	Example
WithinRadius	within [<lat>, <lng>, <radius_in_km>]	place within [11.5, 50.3, 10.0]
NearPoint	near [<lat>, <lng>]	place near [11.5, 50.3]
CombineGeoWithOtherQuery	<geo_query> filter <other_query>	place near [11.5, 50.3] filter name == „Restaurant“

Query Reference

Operation	Keyword	Example
QueryForPropertyOfReference	<ReferencePropertyName>.<PropertyName> <where_clause>	users.age > 30 (users is <Propertyname> and age is property of <RefClassName>)